Steelcase Audio Visual Products Specification Guide

Availability

Electronic price list updated with release 180.A (U.S.) and 146.A (Canada), dated April 21, 2014.

Spec News is available on village.steelcase.com. Search AdStock and download the current release's Spec News.

View or download Steelcase Specification Guides at http://www.steelcase.com/en/resources/design/spec-guides/pages/specguides.aspx.

Transitional products in this specification guide are maintained for existing customers only and are likely to be phased out over time. These products are indicated with a 1. Products that are scheduled to be culled are indicated with an 1., followed by the last order entry date.

Working with This Specification Guide

Nine Tips: How to Get the Most Out of This Book

Additional Resources

4

Eno Interactive Whiteboards and Accessories

media:scape mini and mobile

21

Resources

33

► For a list of all trademarks, refer to the last page of this specification guide.



For Canadian Pricing

Calculate in the following order to avoid rounding errors:


- Multiply the base price and each option by 1.09.
- · Round each to the nearest dollar.
- · Add base and options for total list price.

Nine Tips: How to Get the Most Out of This Book



Watch the tabs on the righthand edges of the pages. They'll always indicate which chapter you are in.

Tip 2



Use the Statement of Line pages for an overview of the available components, their sizes, and page references for additional information.




Find cross reference by looking for page numbers flagged with an arrow.

Tip 4

Study the product detail pages in the Understanding section is

Understanding section to learn everything an expert knows about specific products. Each product detail page in this section contains the following features, where applicable:

- Product Drawing
- Actual Dimensions
- Product Details
- Connections
- · Wiring and Cabling
- Surface Materials
- Application Topics



Tip 5

Refer to the specifying

pages for all the information needed to order a product. Each product specifying page contains a variety of elements to help you complete a specification:

- · Product Drawing
- Standard Includes
- Required to Specify
- · Options
- Related Products
- · Specification Information
- Dimensions
- · Style Number
- Price

Standard Includes

(under the dark grey band) provides a list of what comes standard with the product.

Product Drawing shows you what the product looks like.


Required to Specify

(under the dark grey band) itemizes the information that you must provide to order the standard product and the preferred sequence for specification.

Specification

Information (under the light grey band) provides product dimensions, style numbers, and prices for the standard product and any surface material choices that are available.

Standard fundament Standa



Options

(under the black band) lists all the options that apply to the product, their price, and what is required to specify.

Related Products

provide specification information for products that are directly related.

Tip 6



Italic typeface on specifying pages usually identifies wording that you should use in your order.


Tip 7

Wiring & Cabling Cable-management

choices to allow wires and cables to pass through worksurface include three-piece
grommets, 4"-square grommets, continuous channel
grommet, and cord catcher.
Tip: You can specify only
one type of cable-management option on a single
worksurface.

Watch for tips throughout the text that give you explanations and helpful instructions.

Tip 8



Learn what you cannot do by looking for drawings crossed out with an "X."

Tip 9

Style Number	Page
2256-P	308
32WCP	265
4942	308
87-7102002	331
87-7102003	331
88-PS	194

Refer to the style number index when you know a style number and you need to find the page that has more details about the product.

Page 34

Additional Resources

Steelcase Audio Visual products are supported with informational materials, tools, and software to help you plan, specify, and order an installation efficiently.

Printed Materials

Other Specification Guides

Steelcase offers a comprehensive portfolio of furniture and solutions. For the full offering of products, refer to the individual product specification guides. These can be accessed at the www.steelcase.com web site or at village.steelcase.com

Computer Tools

Electronic Catalog

Accurate sales quotations and purchase orders for Steelcase products are created with specification software that uses Steelcase Electronic Catalog data. Use the data to specify and price style numbers and options for every Steelcase product. The data is updated bimonthly by Steelcase and provided to software programs including: the Hedberg Business System, SmartTools-Steelcase's design and specification software (for more information on SmartTools, please email SmartTools@steelcase.com), the ProjectMatrix Project Symbols libraries, as well as 20-20 CAP Studio.

Furniture Symbol Graphic Data

Steelcase creates 2D and 3D furniture symbols (with attributes) for planning and initially specifying Steelcase products. This data is incorporated into several add-on software packages that work in either a Microstation or an AutoCAD drafting environment.



Digital Publication

If your device has a bar code reader App, scan this QR code for a direct link to the online digital publications. Utilizing this QR code allows you to search across multiple specification guides, share across social media, or print out pages. You can also access these digital publications at www.steelcase.com or village.steelcase.com.

Support

Steelcase Capabilities

Steelcase products are distributed, installed, and serviced through a network of more than 600 dealers worldwide. Steelcase is also represented with offices and corporate showrooms in 26 U.S. cities, 4 Canadian cities, and in France, Germany, Great Britain, and Japan. Every Steelcase product meets our exceptionally high standards of quality and durability and comes with the Steelcase assurance of excellence in service.

For assistance, please call your local dealer, the Steelcase Solutions Resource Team, or the Steelcase Solutions Fulfillment Team at 1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.

Call the Steelcase Solutions Resource Team prior to placing an order, when working on a bid, or when you need information about product applications and specifications.

Call the Steelcase Solutions Fulfillment Team if you have submitted an order to Steelcase and you need to speak to your Solutions Fulfillment Team Representative about the order. Also call if you have any post-shipment quality or warranty concerns or service parts questions.

Outside the U.S.A., Canada, Mexico, Puerto Rico, and the U.S. Virgin Islands, call 1.616.247.2500.

For information about Steelcase, the name of your nearest Steelcase dealer, or for product literature, call 1.800.333.9939 or visit our Web site: www.steelcase.com.

Understanding and Specifying ēno Interactive Whiteboards and Accessories

Statement of Line		///
Product Details		
ēno Classic, ēno Click, and ēno	Flex Interactive Whiteboards	;
ēno Projector Kit		1
ēno Play		1
Specifying		
ēno Classic, ēno Click, and ēno	Flex Interactive Whiteboards	13
ēno Accessories		
ēno Projector Kit		1
Wall Mount Extension Bra	cket for Ultra Short-Throw	
Projector		1
ēno Play		1
ēno Play Installation Kit		1
ēno Icon Strip		1
ēno Receiver		1
ēno Stylus 301		19
ēno Stylus 601		1
Marker Trays		2
ēno Demo Kit		2

Statement of Line




ēno Classic Interactive Whiteboards Understanding

- ▶Page 8
- Specifying
 Page 13



ēno Click Interactive Whiteboards Understanding

- ▶Page 8
- Specifying
 Page 14



ēno Flex Interactive

Whiteboards

- Understanding
 Page 9
 Specifying
 Page 15



ēno Projector Kit Understanding


- Page 11
 Specifying
 ▶Page 16



ēno Play

- Understanding
 Page 12
 Specifying
 Page 17

ēno Classic, ēno Click, and ēno Flex Interactive Whiteboards



Actual Dimensions — ēno Classic and ēno Click								
Dimensions include whiteboard frame	Overall Depth	Overall Height	Overall Width					
ENO2610	1"	481/4"	641/2"					
ENO2810	1"	481/4"	851/2"					
ENOCLICK2650	11/4"	433/4"	641/2"					
ENOCLICK2850	11/4"	433/4"	851/2"					

ēno Flex integrates multiple ceramicsteel dry erase panels and eno interactive whiteboards into the same surface. It installs like any conventional whiteboard. No power or cables are required.


All ēno Flex configura-

tions include a full-length marker tray, as well as a fulllength tack rail with a flag holder, two map clips, and two map rail hooks.

ēno Flex 100, ēno Flex 200, and ēno Flex 686 solutions are only available in the A dot pattern.


The ēno Flex 280 solution includes both an A dot pattern board and a B dot


pattern board.



Actual Dimensions — ēno Flex · Overall · Overall · Center Panel · Side Panels · Overall Depth Height Width Width Width Height Height **ENOFLEX100** 4" 48" 144" 461/2" 63" 461/2" 40" **ENOFLEX200** 4" 48" 192" 461/2" 84" 461/2" 531/2" **ENOFLEX686** 4" 48" 240" 461/2" 84" 461/2" 78" **ENOFLEXAB280** 4" 48" 169" N.A. N.A. 461/2" 84"

Product Details





ēno interactive whiteboards feature a pattern invisible to the naked eve. The pattern consists of numerous intelligent small black dots that can be read by the eno stylus. The pattern indicates the exact positions of the eno stylus.



enabled computer (Apple or Windowsbased) with the eno App installed can be used in conjunction with eno to enable interactive whiteboard capability. Any projector can be used to project images from the computer to the eno whiteboard.

The ēno stylus works with the eno whiteboard to enable interactive capability with a computer. For example, when a computer based presentation is projected onto the eno whiteboard, the stylus can be used to guide the presentation or interact with a computer program, similar to keyboard or mouse commands.

Each eno Classic and ēno Click interactive whiteboard comes complete with:

- one eno whiteboard with one of three dot patterns. Every eno whiteboard features the e3 ceramicsteel writing surface
- one Bluetooth enabled stylus with one AAA battery
- two replacement stylus tips
- one eno receiver for Windows or Macintosh (USB interface)
- the eno App
- RM Easitech® software
- one USB extender for the ēno receiver
- one magnetic icon strip

Each ēno Flex interactive whiteboard comes complete with:

- one eno whiteboard, which features e3 ceramicsteel writing surface
- one Bluetooth enabled stylus with one AAA
- two replacement stylus tips
- one eno receiver for Windows or Macintosh (USB interface) one Bluetooth
- · RM Easiteach software
- one USB extender for the ēno receiver
- one magnetic icon strip

Computer projector is not included.

Installation


ēno interactive performance requires the installation of the eno App on the computer and the eno receiver included with Eno.

The eno Classic and ēno Flex whiteboards

install like any conventional whiteboard. There are no power requirements and therefore no wires. Because it transmits to the computer via Bluetooth there are no communication cable requirements.

The eno Click interactive whiteboard comes with magnetic mounting hardware and mounts instantly over any ceramicsteel or steel surface. Because eno transmits to the computer via Bluetooth, there are no communication cable requirements.

Application Topics



ēno Classic and ēno Click interactive whiteboards are available with A, B, and C dot patterns which allow up to three boards to be independently calibrated in the same room and operate properly. In a multiple interactive whiteboard application, no two whiteboard dot patterns

ENOFLEX100, ENOFLEX200, and **ENOFLEX686** interactive whiteboards are only available in A dot pattern.

should be the same.

Environmental Certifications

ēno Classic and ēno Click

- · MBDC Cradle to Cradle Silver
- SCS Indoor Advantage BoHS

ēno Flex


- · SCS Indoor Advantage
- · RoHS
- · Qualifies for LEED points

Warranty

For warranty details, go to www.steelcase.com.

ēno Projector Kit

ēno projector kit should now be ordered separately.



Product Details

ēno projector kit

- Installs on stud/drywall, wood, brick, cinderblock, or concrete wall
- · Internal cable storage

WXGA ultra shortthrow projectors comes complete with:

- complete with:


 DLP with Brilliant Color technologies
- Native resolution: WXGA (1280 x 800)
- Aspect ratio: 16:10 Native, 16:9, 4:3
- Brightness: 3000 Lumens (typical); 2450 Lumens (eco mode)
- Lamp life: 5000/8000 hrs.
- 6-segment color wheel (RGBCWY)
- (RGBCWY)
 Contrast ratio: 2300:1
- Two 10 watt built-in speakers

Warranty

For warranty details, go to www.steelcase.com.

ēno Play

Eno Play integrates sound with the world's most durable interactive white-board to tune in every type of learner, from auditory to kinesthetic to visual.



Actual Dimensions Depth Width Length Amplifier ½" 3%5" 4½" Driver pack ½10" 2½6" 5½10"

Product Details

ēno Play consists of an amplifier, driver pack, audio input cable, and hardware mounting extender bracket for an ēno board.

Amplifier is standard with two 20 watt output channels and two input jacks, and is electronically protected against reverse and over voltage power input supply.

Amplifier output power is 24VDC; 1.88A, and input power is 100-240VAC; 50/60Hz.

Driver pack is standard with two transducers and maximum power of 15 watts rms. Driver pack IEC 268-5 maximum power is 30 watts rms

Audio input cable is 3.5 mm, stereo, and 25' male to male. It is available in the following lengths: 6", 1', 3', 6', 12', 15', 35', 50', and 75'.

Eno Play has an operating temperature of 41°F to 95°F and an operating humidity of 10% to 90% non-condensing. ₹no Play has a storage temperature of −5°F to 140°F and a storage humidity of 5% to 95% non-condensing.

Environmental Certifications

- FCC
- CE
- RoHS
- WEEE

Warranty

For warranty details, go to www.steelcase.com.


ēno Classic, ēno Click, and ēno Flex Interactive Whiteboards

Product details,

page 8

ēno Classic, ēno Click, and ēno Flex Interactive Whiteboards

ēno Classic Interactive Whiteboards



Tip: ēno Interactive . Whiteboards are available in three different dot patterns, A, B, and C. This enables up to three boards to be independently calibrated in the same room and to operate properly. In a multiple interactive whiteboard application, no two whiteboard grid patterns should be the same.

Standard Includes

Required to Specify

Style number

· e3 ceramicsteel whiteboards

· Trim: anodized aluminum

· Mounting brackets package

· Bluetooth enabled stylus

· Two replacement stylus tips

One AAA battery

• ēno receiver

· USB extender

• ēno icon strip


· Getting Started CD (includes ēno app, user manual, and installation guide)

RM Easiteach Next Gen Software

· Dime	nsions	i	· Style	·U.S.
W	D	н	Number	Price
641/2"	11/8"	481/4"	ENO2610A	\$2858
641/2"	11/8"	481/4"	ENO2610B	\$2858
641/2"	1 ¹ /8"	481/4"	EN02610C	\$2858
851/2"	1 ¹ /8"	481/4"	ENO2810A	\$3563
851/2"	1 ¹ /8"	481/4"	ENO2810B	\$3563
85 ¹ /2"	1 ¹ /8"	481/4"	ENO2810C	\$3563



ēno Click Interactive Whiteboards



►Need help? Product details, page 8

Standard Includes • e³ ceramicsteel whiteboards

Required to Specify

Style number

- Trim: anodized aluminum
- · Mounting brackets package
- Bluetooth enabled stylus
- · Two replacement stylus tips
- One AAA battery
- ēno receiver
- USB extender
- ēno icon strip
- · Getting Started CD (includes eno app, user manual, and installation guide)


 RM Easiteach Next Gen Software

Tip: ēno Interactive
Whiteboards are available in
three different dot patterns,
A, B, and C. This enables up
to three boards to be inde-
pendently calibrated in the
same room and to operate
properly. In a multiple inter-
active whiteboard applica-
tion, no two whiteboard grid
patterns should be the
same

Dime	nsions	;	· Style	·U.S.
W	D	Н	Number	Price
641/2"	11/8"	43 ⁵ /8"	ENOCLICK2650A	\$3021
641/2"	11/8"	43 ⁵ /8"	ENOCLICK2650B	\$3021
641/2"	11/8"	43 ⁵ /8"	ENOCLICK2650C	\$3021
851/2"	11/8"	43 ⁵ /8"	ENOCLICK2850A	\$3746
851/2"	11/8"	43 ⁵ /8"	ENOCLICK2850B	\$3746
85 ¹ /2"	11/8"	43 ⁵ /8"	ENOCLICK2850C	\$3746

ēno Flex Interactive Whiteboards

	Standard Includes	Required to Specify
Need help? Product details, page 9	 e³ ceramicsteel whiteboards Trim: black plastic Mounting brackets package Bluetooth enabled stylus Two replacement stylus tips One AAA battery ēno receiver USB extender ēno icon strip Getting Started CD (includes ēno App and User Manual) RM Easiteach Next Gen Software 	Style number



Spe	cifica	tion In	formation		
· Dime	ensions D	Н	• Style • Number	· U.S. Price	
:			:	:	

With Two e³ Ceramicsteel Side Panels

144"	11/8"	48"	ENOFLEXA100	\$3566
192"	11/8"	48"	ENOFLEXA200	\$4413
240"	11/8"	48"	ENOFLEX686	\$4618

Dual Whiteboards with Pattern A and Pattern B

169"	4"	48"	ENOFLEXAB280	\$4495
103	7	40	LINOT LLXADZOO	ψ ++ 33
			•	•
			•	•

ēno Accessories

ēno Projector Kit



Tip: ēno board not included. Order separately.

Standard Includes

Required to Specify

Style number

►Need help? Product details, page 11

- · WXGA ultra short-throw projector
- Power cable
- VGA cable
- · Remote control (includes batteries)
- · Quick start guide and user manual
- · Fixed wall arm mount

-	pecifica	tion in	TO MINE	tton

Style	·U.S.
Number	Price
ENOPROJKIT	\$2800

ēno Projector

Standard Includes

Required to Specify

- WXGA ultra short-throw projector
- Power cable
- VGA cable
- · Remote control (includes batteries)
- User manual


Style number



Specification Information

·U.S.	
Price	
•	
•	
\$2500	
	· U.S. Price

ēno Projector Mount



For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

Standard Includes

Required to Specify

- Peerless PSTA-600 universal wall mount
- Mounting hardware
- User manual

Style number

Specification Information				
·U.S.				
:				
\$500				
	· U.S. Price			

Wall Mount Extension Bracket for Eno Projector



Tip: Projector and ēno whiteboard should be ordered separately.

Standard Includes	Required to Specify
 Wall mount extension bracket for eno projector kit 	Style number

Specification Information

· Style	∙U.S.
Number	Price

ENOPROJKITEXT \$240

ēno Play



Tip: Installation kits must be ordered separately.

Tip: ēno Play with magnets is for use with demo product only.

►Need help? Product details, page 12

- **Standard Includes** · 40W amplifier with driver pack
- · Power cord and adapters
- · 22 AWG connection wire
- · Mounting bracket spacers
- · Magnets, if selected

Specification Information

· Style	·U.S.
Number	Price

With Mounting Bracket

ENOPLAY140	\$646

With Magnets

ENOPLAY140M \$646

ēno Play Installation Kit



Standard Includes	Required to Specify

- · Extended mounting brackets
- · Hardware kit

Specification Information

• \$	Style	•	U.S.
1	Number	:	Price

ENODI AVELVITO

For use with enoflex 100 and enoflex 200

ENUPLATILIZATIO	\$252	
•	•	

Tip: All installation kits must be ordered with enoPlay140. **Required to Specify**

Style number

Style number

ēno Icon Strip

Standard Includes	Required to Specify
Icon strip for dot pattern A	1 Style number 2 ēno board dot pattern (see below under Required Selections)

	Required Selections	U.S. Price	Required to Specify
ēno Board Grid Pattern	Icon strip for dot pattern A Icon strip for dot pattern B Icon strip for dot pattern C	No cost No cost No cost	Specify for dot pattern A. Specify for dot pattern B. Specify for dot pattern C.

Specification Information				
•Style Number	·U.S. Price			
ENOAPPICONST	\$60			

ēno Receiver



Standard Includes	Required to Specify
• ēno receiver	Style number

Specificat	ion Information		
Style Number	· U.S. Price		
ENOREC01	\$102		



ēno Stylus 301



Tip: Stylus kit includes ēno receiver and USB extender.

Standard Includes

- Bluetooth enabled stylus 301
- Two replacement stylus tips
- · One AAA battery

►Need help?

►Need help?

page 8

Product details,

page 8

Product details,

- · Case: black plastic
- ēno receiver, if stylus kit selected
- · USB extender, if stylus kit selected

Required to Specify

Style number

Specification In	Specification Information				
•Style Number	·U.S. Price				
Stylus					
ENOSTYLUS301	\$295 :				
Stylus Kit					
FNOSTYKIT301	\$395				

ēno Stylus 601



Tip: Stylus kit includes ēno receiver and USB extender.

Standard Includes

- Bluetooth enabled stylus 601
- · Two replacement stylus tips One USB charging cable
- · Case: black plastic • ēno receiver, if stylus kit selected
- · USB extender, if stylus kit selected

Style number


Required to Specify

	Price		
lus	·		
OSTYLUS601	\$400 :		
lus Kit			
rlus Kit	\$500		



Marker Trays

Standard Includes	Required to Specify
Marker tray: anodized aluminum	Style number



Specification Information				
• Dimensions W	• Style Number	· U.S. Price		
12"	MCR12	\$55		
24"	MCR24	\$74		

ēno Demo Kit

Tip: This product is for Steelcase dealers and resellers only. It is for demonstration purposes and is not intended to be sold to clients.

Standard Includes

Required to Specify

Interactive whiteboard (ENO2210A)

• Magnetic table top stand: package of two (MS210)

Travel bag (EC210)

Magnetic eno Play (ENOPLAY140M)

Bluetooth enabled stylus 301
Two replacement stylus tips

One AAA battery

· Two replacement stylus tips

• ēno receiver

• USB extender

· Case: black plastic

• ēno icon strip

ēno AppRM Easitech Software

Style number

~~	neciti	catio	n Into	rmation
				I III G G I G I

• Style Number	·U.S. Price	
ENODEMOKIT	\$1550	



For Canadian Pricing Multiply U.S. Price by the Canadian price factor. ► See page 1 for details.

nedia:scape mini nd mobile

Understanding and Specifying media:scape mini and mobile

<i>/////////////////////////////////////</i>	
Statement of Line	22
Product Details	
media:scape mini and mobile	24
media:scape mobile with HDVC	26
Dimensions-media:scape mini and mobile	28
Specifying	
media:scape mini	29
media:scape mobile	30
HDVC Kit	31

Statement of Line

media:scape mini and mobile

mini and mobile



Understanding
Page 24
Specifying
Page 29



mobile

Understanding
Page 24
Specifying
Page 30

media:scape mini and mobile

media:scape mini can be placed on top of any surface to transform spaces into collaborative work environments, extending the media:scape experience to smaller, existing settings.

> Specifying, page 29


media:scape mini

comes with four PUCKs available in VGA, HDMI, DisplayPort, and mini DisplayPort connectors. For media:scape PUCKs Understanding, see Integrated Technologies Specification Guide.

media:scape mini sets on the worksurfaces and does not require any attachments. For added security, mini can be bolted or locked to the worksurface.

Media well houses four power receptacles, a power button, PUCKs, and has a hinged cover.

Weight of media:scape mini is 90 lbs with the 40" shroud, and 94 lbs with the 42" shroud (monitor not included).



The power cord on mini extends 7' out the back of the base.

PUCKs (Personal User Control Key) enable the seamless flow of information between team members. PUCKs may be specified as VGA, HDMI, DisplayPort, or Mini DisplayPort.

▶ For media:scape PUCKs Understanding, see Integrated Technologies Specification Guide.

Shroud comes standard, and is easy to remove to provide access to technologies components.

Monitor is not included. media:scape mini has been optimized for 40" and 42" LED monitors. It has been designed to support specific Samsung and LG models. For recommendations, go to: www.steelcase.com/ mediascape.

When using a 40" or 42" monitor that is not recommended by Steelcase, utilize the included hardware kit for mounting which provides all necessary cables and hardware to be used with mini. Monitors should be multisync, with a horizontal frequency range of 31–80 kHz, a vertical frequency of 55–80 kHz, and detachable C13/C14 cords.

media:scape mobile

allows users to apply media:scape in a diverse range of settings — from hospitality to education, business, and healthcare — wherever collaboration might

► Specifying, page 30

media:scape mobile

can be wheeled up to any worksurface and should be placed with media well floating above the worksurface.

PUCKs (Personal User Control Key) enable the seamless flow of information between team members. PUCKs may be specified as VGA, HDMI, DisplayPort, or Mini DisplayPort.

► For media:scape PUCKs Understanding, see Integrated Technologies Specification Guide. The power cord on mobile extends 9' out the bottom of the base.

Media well houses four power receptacles, a power button, PUCKs, and has a hinged cover.

Base is available in two

finishes and includes the

column. A storage compart-

ment is included to house

power cord when being

transported.

Monitor is not included. media:scape mobile has been optimized for 40" and 42" LED backlit monitors. It has been designed to support specific Samsung and LG models. For recommendations, go to: www.steelcase.com/mediascape.

Shroud comes standard,

technologies components.

and is easy to remove to

provide access to

When using a 40" or 42" monitor that is not recommended by Steelcase, utilize the included hardware kit for mounting which provides all necessary cables and hardware to be used with mobile. Monitors should be multisync, with a horizontal frequency range of 31–80 kHz, a vertical frequency of 55–80 kHz, and detachable C13/C14 cords.

media:scape mobile is facilities height-adjustable to accommodate both deskand stool-height surfaces. An electric drill/driver can be used to easily adjust the mobile up or down.

See Dimensions, page 28,

► See Dimensions, page 28, for more information.

Casters allow the unit to move easily. The unit comes with soft locking casters as a standard.

Product Details

Build-in security holes allow media:scape mini and mobile monitors to be secured using Kensington lock.

Power and Data

Power is included.

Surface Materials

Base

Paint

Shroud, bridge, and media well

· Paint to match base

media:scape mobile with HDVC

media:scape mobile

can host video conferencing solutions. The HDVC kit includes a CODEC case, top-mount and under-mount camera ledges, a HDMI cable, and a hardware package. Monitor and camera are not included.

Specifying, page 30


The CODEC case is designed for simplified installation of HDVC video-conferencing with media:scape mobile. The location of the CODEC case allows easy access to all necessary connections


when the shroud is removed.


The CODEC case is 5¾" thick to accommodate most CODECs. The perforated cover lets heat dissipate from the CODEC and allows access to hardware for services.

Tip: All CODECs may not fit. Check the dimensions of the CODEC before ordering CODEC case.

Actual Dimensions				
CODEC Case	Outer Dimensions	Inner Dimensions		
Depth	5 ³ /4"	51/8"		
Width	17"	143/5"		
Height	16"	123/5"		








Tip: Sight lines will vary based on camera, mounting position, and distance from participants.


Product Details




Top-mount camera ledge supports most industry standard HDVC cameras. Depth is 7" and width is 111/8".



Under-mount camera ledge accommodates most industry standard HDVC cameras. Depth is 8" and width is 111/8".



Flip-up door in base provides easy access to a power and data cables storage compartment.



A tether buckle is included to secure the CODEC. A Kensington lock is not included but recommended for security.

Surface Materials


HDVC kit


Paint

Dimensions

media:scape mini and mobile

Actual Dimensions				
	40" mini	42" mini	40" mobile	42" mobile
Overall width	40"	43"	40"	43"
Overall height	28"	301/2"	561/2"-701/2"	59"-73"
Overall depth	21"	21"	20"	20"
Overall interior width	371/2"	401/2"	371/2"	401/2"
: Media well dimension				
: Width (all applications)	18 ¹ /4"			
Height (all applications)	33/4"			
Mobile only dimension	1 s :			
Base depth	261/2"			
Base width	36"			
Base height	5"			





media:scape mini



Standard Includes

Required to Specify

► Need help? Product details, page 24

- Shroud, bridge, and media well: paint
- Four PUCKs
- · Monitor hardware kit
- · Steelcase maintenance services (1 year)
- 1 Style number
- 2 Paint color number for shroud, bridge, and media well:
- 4140 Arctic White Gloss 4803 Near Black Metallic
- 3 Maintenance services (see below under Required Selections)
- 4 Shroud size (see below under Required Selections)
- 5 PUCKs (see below under Required Selections)

Tip: Steelcase maintenance services (1 year) are reflected in the base price of the

Tip: When specifying mixed PUCKs, please use the image below as a guide:



	Required Selections	U.S. Price	Required to Specify
Maintenance Services	Steelcase maintenance services (1 year)	\$825 Included in U.S. Base Price	Specify with Steelcase maintenance services (1 year).
Shroud Size	Shroud for 40" monitor Shroud for 42" monitor	No cost No cost	Specify with shroud for 40" monitor. Specify with shroud for 42" monitor.
PUCKs	All PUCKs same type VGA HDMI DisplayPort Mini DisplayPort	No cost No cost No cost No cost	Specify with VGA PUCKs. Specify with HDMI PUCKs. Specify with DisplayPort PUCKs. Specify with Mini DisplayPort PUCKs.
	Mixed PUCK types PUCK 1 VGA HDMI DisplayPort Mini DisplayPort PUCK 2 VGA	No cost No cost No cost No cost	Specify with VGA PUCK. Specify with HDMI PUCK. Specify with DisplayPort PUCK. Specify with Mini DisplayPort PUCK. Specify with VGA PUCK.
	- HDMI - DisplayPort - Mini DisplayPort • PUCK 3 - VGA	No cost No cost No cost	Specify with HDMI PUCK. Specify with DisplayPort PUCK. Specify with Mini DisplayPort PUCK. Specify with VGA PUCK.
	- HDMI - DisplayPort - Mini DisplayPort • PUCK 4 - VGA	No cost No cost No cost	Specify with HDMI PUCK. Specify with DisplayPort PUCK. Specify with Mini DisplayPort PUCK. Specify with VGA PUCK.
	- HDMI - DisplayPort - Mini DisplayPort	No cost No cost No cost	Specify with HDMI PUCK. Specify with DisplayPort PUCK. Specify with Mini DisplayPort PUCK.

Dime	ensions	· Style	·U.S.
D	W	Number	Base
			Price
		:	(with
			Maintenance
		:	Services)
21"	40"	M02MINIA	\$12,263



media:scape mobile



Standard Includes

Required to Specify

- Need help? Product details, page 24
- Base, shroud, bridge, and media well: paint
- Four PUCKs
- · 3"-diameter soft casters: grey with black edge only
- · Monitor hardware kit

- Mini DisplayPort

• PUCK 4

- VGA

- HDMI

- DisplayPort

- Mini DisplayPort

- Steelcase maintenance services (1 year)
- 1 Style number
- 2 Paint color number for base, shroud, bridge, and media well:
- 4140 Arctic White Gloss
- 4803 Near Black Metallic
- 3 Maintenance services (see below under Required Selections)
- 4 Shroud size (see below under Required Selections)
- 5 PUCKs (see below under Required Selections)
- 6 Options, if selected (see below)

Tip: Steelcase maintenance services (1 year) are reflected in the base price of the product.

Tip: When specifying mixed PUCKs, please use the image below as a guide:



	Required Selections	U.S. Price	Required to Specify
Maintenance Services	Steelcase maintenance services (1 year)	\$825 Included in U.S. Base Price	Specify with Steelcase maintenance services (1 year).
Shroud Size	Shroud for 40" monitorShroud for 42" monitor	No cost No cost	Specify with shroud for 40" monitor. Specify with shroud for 42" monitor.
PUCKs	All PUCKs same type		
	• VGA	No cost	Specify with VGA PUCKs.
	• HDMI	No cost	Specify with HDMI PUCKs.
	 DisplayPort 	No cost	Specify with DisplayPort PUCKs.
	Mini DisplayPort	No cost	Specify with Mini DisplayPort PUCKs
	Mixed PUCK types		
	• PUCK 1 - VGA	No seed	Consider WOARLION
	- VGA - HDMI	No cost	Specify with VGA PUCK.
	- HDM1 - DisplayPort	No cost No cost	Specify with HDMI PUCK. Specify with DisplayPort PUCK.
	- DisplayPort - Mini DisplayPort	No cost	Specify with Mini DisplayPort PUCK.
	• PUCK 2	NO COSI	Specify with with DisplayPort POCK.
	- VGA	No cost	Specify with VGA PUCK.
	- VGA - HDMI	No cost	Specify with HDMI PUCK
	- DisplayPort	No cost	Specify with DisplayPort PUCK.
	- Mini DisplayPort	No cost	Specify with Mini DisplayPort PUCK.
	• PUCK 3	110 0031	Specify with will DisplayFull FUCK.
	- VGA	No cost	Specify with VGA PUCK.
	- HDMI	No cost	Specify with HDMI PUCK.
	- DisplayPort	No cost	Specify with DisplayPort PUCK.
	Diopiayi oit	140 0031	opcony with Display of the Ook.

	Options	U.S. Price	Required to Specify	
HDVC	HDVC kit	+\$1428	Specify with HDVC kit.	

No cost

No cost

No cost

No cost

No cost

Specification Information				
Dim D	ensions W		Number	· U.S. Base Price (with Maintenance Services)
20"	40"	561/2" – 701/2"	M02MOBILEA	\$15.833



Specify with Mini DisplayPort PUCK.


Specify with Mini DisplayPort PUCK.

Specify with VGA PUCK.

Specify with HDMI PUCK.

Specify with DisplayPort PUCK.

HDVC Kit



Standard Includes

Top-mount camera ledge
 Under-mount camera ledge
 CODEC case

Required to Specify

- Style number
 Paint color number:
 4140 Arctic White Gloss
 - 4803 Near Black Metallic

HDMI cable Hardware package

Specification Information		
• Style Number	·U.S. Price	
M02MOBILEHK	\$1428	



Resourc

Resources

Style Number Index

34

Style Number Index

Style Number	Page	Description	
ENO2610A	13	ēno Classic Interactive Whiteboard	
ENO2610B	13	eno Classic Interactive Whiteboard	
ENO2610C	13	ēno Classic Interactive Whiteboard	
ENO2810A	13	eno Classic Interactive Whiteboard	
ENO2810B	13	ēno Classic Interactive Whiteboard	
ENO2810C	13	eno Classic Interactive Whiteboard	
ENOAPPICONST	18	ēno Icon Strip	
ENOCLICK2650A	14	ēno Click Interactive Whiteboard	
ENOCLICK2650B	14	eno Click Interactive Whiteboard	
ENOCLICK2650C	14	ēno Click Interactive Whiteboard	
ENOCLICK2850A	14	ēno Click Interactive Whiteboard	
ENOCLICK2850B	14	eno Click Interactive Whiteboard	
ENOCLICK2850C	14	eno Click Interactive Whiteboard	
ENODEMOKIT	20	ēno Demo Kit	
ENOFLEX686	15	ēno Flex Interactive Whiteboard	
ENOFLEXA100	15	ēno Flex Interactive Whiteboard	
ENOFLEXA200	15	ēno Flex Interactive Whiteboard	
ENOFLEXAB280	15	One Whiteboard w/Pattern A and Pattern E	
ENOPLAY140	17	ēno Play	
ENOPLAY140M	17	ēno Play	
ENOPLAYFLXKIT 0	17	ēno Play Installation Kit	
ENOPROJKIT	16	ēno Projector Kit	
ENOPROJKITEXT	17	Wall Mount Ext Bracket, eno Projector	
ENOREC01	18	ēno Receiver	
ENOSTYKIT301	19	ēno Stylus 301	
ENOSTYKIT601	19	ēno Stylus 601	
ENOSTYLUS301	19	ēno Stylus 301	
ENOSTYLUS601	19	ēno Stylus 601	
M02MINIA	29	media:scape mini	
M02MOBILEA	30	media:scape mobile	
M02MOBILEHK	31	HDVC Kit	
MCR12	20	Tray-Magnetic, Marker	
MCR24	20	Tray-Magnetic, Marker	
PJ930	16	ēno Projector	
PSTA600	16	ēno Projector Mount	

Trademark List

- The following are registered trademarks for products of Steelcase Inc. or one of its related corporate entities: 4 o'clock, 900 Series, à la carte, Airtouch, Ally, Amia, Answer, Archipelago, Avenir, Ballet, Bix, Brayton International, Cachet, Canopy, Canto, Chancellor, Coalesse, Confidante, Context, Convene, CopyCam, Criterion, Crushed Can, Currency, dash, Designtex, Details, Detour, Drive, Elective Elements, Ellipse, Ember Chrome, Emerge, E-Table 2, FYI, Garland, Gentry, Ginkgo Biloba, Groupwork, Ideo, Jacket, Jenny, Jersey, Kart, Kick, LaCosta, Leap. Let's B. LiveBack. Max-Stacker. media:scape, Metro, Migrations, Mitra, Montage, Nurture, Oriana, Parade, Pathways, PCT, Permiso, Player, PolyVision, Portal, Power Pincher, Progeny, Protégé, R2, Rally, Relevant, Reply, Rizzi Arc, Sensor, Series 9000, Siento, Sieste, Sine, Softcare, Springboard, Steelcase, Steelcase Design Partnership, Stella, Stow Davis, Swathmore, TeamWork, Technique, Texpress, Think, Thunder, Topo, Train, Turnstone, Underline, Unison, Vecta, Viridian, Walden, Werndl, and X-Stack
- The following registered trademarks are under license from AWI Licensing Company, Dover, DE: SoundScapes, DuraBrite, BioBlock, and Armstrong.
- The following registered trademarks are under license from Byrne Electrical, Rockford, MI: Interport and Mini-Port.
- The following is a registered trademark of DuPont, Wilmington, DE: Corian.
- The following is a registered trademark of Genlyte Thomas Company, Louisville, KY: Lightolier.
- The following is a registered trademark of Hilti Corporation, FL-9494 Schaan, Principality of Liechtenstein: Hilti.
- The following is a registered trademark of Leviton Manufacturing Company, Little Neck, NY: Decora
- The following is a registered trademark of Mechanical Plastics Corp, Elmsford, NY: Toggler.
- The following is a registered trademark of Microsoft Corporation, Redmond, WA: Microsoft.
- The following is a registered trademark of Panduit Corporation, Lockport, IL: Panduit.
- The following is a registered trademark of Trav (Press), Cuneo, Italy: Assisa.
- The following is a registered trademark of Virtual Ink, Boston, MA: mimioActive.
- The following registered trademarks are under license from Wilkhahn Furniture Products: Avera, Senzo, Versal, and Wilkhahn FS.
- The following is a registered trademark of Wilsonart International, Temple, TX: Chemsurf.

- The following is a registered trademark of Wiremold, West Hartford, CT: Wiremold.
- The following is a registered trademark of EMU Group S.P.A., Perugia, Italy: Emu.
- The following are trademarks for products of Steelcase Inc. or one of its related corporate entities: Access, Active/Passive Shelf, Ainsley, Akira, Alcove, Alerion, alight, Amaris, American Elect, American Tradition, ap40, Arbor, Arriva, Asana, Ascot, Aspekt, Astor, Await, Bira, Bivi, Bottomline, Brook, Buoy, Burton, c:scape, Calla, Calm, Camber, Campfire, Capa, Cappuccino, Cesar, Chester, Chord, Circa, Clarendon, Classic Rectangular, cobi, Collaboration, Community, Company, Convey, Cortex, Coupe, Crea, Crew, Cura, Cypress, Davenport, Dearborn, Deck, Déjà, Denizen, Denska, Derby, Divisio, Donovan, Dune, Duo, e3, e3 ceramicsteel, e3 environmental ceramicsteel, Echo, Edge, Elsna, Empath, Empress, Enea, eno, EnSync, Enviro, Escapade, Exchange, Exponents, Field, Flat Top, FlexFrame, Flip Top, Flute, Folio, FrameOne, FreeFlow, Frontier, Galilei, Gesture, Ginger, Ginkgo, Go Wall, Grip, Groove, Hatchback, Hawthorne, Hitch, Host Collection, Hosu, Huddleboard, i2i, Impact, Indy, InfoLink, IOS, I-Solve, Jack, Jarrah, Jetty, Juice, Kami, Kast, Kathryn, Lagunitas, Lark, L'Attitude, LearnLab, Leela, Lincoln, Linden, LiveSeat, Loria, Lyric, Malibu, Malibu Too, Mansfield, Marathon, Martini, Mason, Masque, Millbrae, Mineral, Mingle, Mistic, Mistic Metal, Mistic Wood, Montreal, Move, Nadia, Neighbor, nesso, Nickel, Nikko, Nod, Node, Norfolk, Ontrak, Oom, Opus, Orchid, Outlook Collection, Ovation, Paloma, Paperflo, Parliament, Pasio, Passerelle, Patriarch, Payback, Peek, Pile File, Pisa, Pool, PUCK, QiVi, Quba, Rave, Reed, Regard, Relay, Reunion, Ripple, Riser, Rocco, Rocky, RoomWizard, Runner, Satellite, Sawyer, ScapeSeries, Senti, Sentinel, Senza, Sequoia, Session, ShareLink, Shield, Sidewalk, Skylar, Slumber, Smoke, Snug, Soft Leaf, Sonata, Sorrel, SOTO, Stationkits, Stiletto, Surprise!, Switch, Symphony, Sync, TagWizard, Tava, TeamStudio, Tenaro, Terrazzo, Theorem, Topaz, Touchdown, Tour, Tower Too, Trees, Trillium, Trolly, tX2, U-Free, Uno, V.I.A., Verb, Verge, Victor2, Visalia, Waldorf, Woodruff, Workspring, and X-tenz.
- ™ The following is a trademark of Microsoft Corporation, Redmond, WA: Windows.
- ™ The following is a trademark of Rodman Industries, Inc., Oconomowoc, WI: ResinCore1.
- ™ The following is a trademark of Ultrafabrics, LLC, Elmsford, NY: Ultraleather.
- The following trademarks are under license from Wilkhahn Furniture products: Cana, Linus, Logon, Picto, Range, Stitz, Thema, Timetable, and Tubis.
- ™ The following is a trademark of MBDC, Charlottesville, VA: Cradle to Cradle and C2C.

- ™ The following trademarks are under license from Walter Knoll: Andoo, Bob, Lazlo, Lox, Ribbon, and Together.
- ™ The following trademarks are under license from PP Møbler: Bar and Flag Halyard.
- ™ The following trademarks are under license from Viccarbe: Davos, Holy Day, Last Minute, RS, and Wrapp.
- ™ The following trademarks are under license from Carl Hansen: Elbow, Paddle, Shell, Wing, and Wishbone.
- The following trademarks are under license from Cambridge Sound Management, LLC, Cambridge, MA: Qt PRO Soundmasking, Qt Quiet Technology, and Sonet Qt.
- ™ The following is a trademark of Electri-Cable Assemblies, Shelton, CT: Interact.

Trademarks used here in are the property of Steelcase, Inc. or of their respective owners.